

PLEURAL PLAQUES



**Thompsons
Solicitors**
SCOTLAND

LAURA BLANE, Equity Partner
Head of Asbestos Team

AN INTRODUCTION TO CLAIMING COMPENSATION: PLEURAL PLAQUES

INTRODUCTION

Workers who have been exposed to asbestos at work may be diagnosed with **pleural plaques**, a condition affecting the lining of the lungs. Although usually not harmful in itself, it is an important indicator of asbestos exposure and may be relevant in legal claims.

This booklet provides a basic outline of:

- What pleural plaques are
- Who may be affected
- The legal duties of employers
- What steps workers should take
- Time limits for bringing a claim



WHO CAN BE AFFECTED BY PLEURAL PLAQUES?

Pleural plaques can affect anyone who has been exposed to asbestos, particularly through their work.

Workers most at risk include:

- Construction and demolition workers
- Shipyard and engineering workers
- Electricians, plumbers, and joiners
- Factory workers and machinists

Individuals exposed to asbestos indirectly (e.g. through contaminated clothing)

In many cases, exposure occurred decades ago, often before the risks of asbestos were fully understood.

WHAT CAUSES PLEURAL PLAQUES?

Pleural plaques are caused by inhalation of asbestos fibres.

- Fibres become lodged in the lung lining and cause irritation
- Over time, this leads to scar tissue forming in the pleura

Key features:

- Usually develop 20–30 years after exposure
- Often result from long-term occupational exposure
- Can occur even after relatively low levels of exposure

Pleural plaques are therefore a marker of past asbestos exposure, not a disease that worsens on its own.

WHICH PART OF THE BODY DOES IT AFFECT?

Pleural plaques affect the pleura, which is the thin membrane lining the lungs and chest wall.

- They appear as areas of thickened or scar-like tissue on this lining
- They are typically found on the outer lining of the lungs (parietal pleura)

These plaques are non-cancerous and do not spread to other parts of the body

In most cases, pleural plaques cause no symptoms at all and are often discovered incidentally on X-rays or CT scans.

Even where symptoms are absent, the condition can cause anxiety due to the increased risk of other asbestos related diseases.

TIME LIMITS

In Scotland, strict time limits apply to claims:

A claim must generally be raised within 3 years of diagnosis or awareness

Important points:

- If the time limit is missed, the claim may be time-barred
- This may also affect future claims for more serious asbestos diseases

It is therefore important to seek legal advice early

LEGAL POSITION IN SCOTLAND

Unlike other parts of the UK:

- Pleural plaques are recognised as actionable harm in Scotland

This is due to the Damages (Asbestos-related Conditions) (Scotland) Act 2009

This means:

- Individuals diagnosed with pleural plaques can pursue compensation
- Even if the condition itself causes no symptoms

0141 566 6899

For more information visit:

TalkToThompsons.com

X: <https://x.com/TalkToThompsons>

Instagram: <https://www.instagram.com/talktothompsons/>

Facebook: <https://www.facebook.com/Thompsons.Solicitors.Scotland>

Linkedin: <https://www.linkedin.com/company/talk-to-thompsons/>

The information contained in this booklet is more generalised and not a substitute for individual legal advice. You should talk to a lawyer or adviser before making any decision about a legal issue you are experiencing.